



LED Strip 24V RGB 24V IP20 7,2W/m RGB 5m

Led strip

With an RGB LED strip, you can bring a variety of light tones into your home. Create stylish highlights and indirect lighting, changing the light color to match your theme or mood using the included remote control! The LED strip shines in one color at a time and does not support a rainbow effect. Attach the strip directly to a clean surface using the included 3M adhesive, or for a more polished look, install it with an aluminium profile. The slim, low-profile design makes it easy to mount in small or narrow spaces, such as under shelves or cabinets, or even behind a TV as ambient lighting! The strip can be cut at 125 mm intervals according to the provided instructions. Available in two lengths: 2 m and 5 m. Easy and ready-to-use plug & play installation. Suitable for indoor use, supplied with plug-in transformer.

LED Strip RGB 24V LED-light strip 36W 7.2W/m IP20;
Protection cl. III; L70B50 15000h; LED not
exchangeable



24V IP20 7,2W/m RGB 5m

PRODUCT CODE	CODE	KG	PRODUCT FAMILY
9610494	A1LSRG-5	0.23	LED Strip 24V RGB

24V IP20 7,2W/m RGB 5m
EC002706

Mounting	
Mounting method	Surface mounting
Degree of protection (IP)	IP20
Type of wiring	Ending

Structure	
Model	Tape
Lamp type	LED not exchangeable
Number of LEDs per metre	48
Energy efficiency class of light source according to EU regulation 2019/2015	Not required
With end piece	No
With connection set	No
Self-adhesive	Yes

Dimming and control	
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No

Photometric data	
Luminous flux per meter (lm)	690
Radiation angle (°)	100
Colour of light (alphanumeric)	RGB
Colour rendering index (CRI/Ra)	80-89
Colour temperature switchable	No
Lumen setting adjustable	No
Beam angle adjustable	No

Lifetime and capacity	
Rated life time L70/B50 at 25 °C (h)	15000

Measurements	
Width (mm)	10
Length (mm)	5000

Electrotechnical data	
Lamp power per meter (W)	7.2
Voltage type	AC/DC
Lamp voltage (min) (V)	24
Lamp voltage (max) (V)	24
Protection class according to IEC 61140	III
Maximum system power (W)	36