



## 2,5W 4-IN-1 150LM USB-C WH

Versatile 4-in-1 light

Compact and convenient rechargeable light with multiple functions! You can turn this light source into a table lamp, wall light, hand lamp or a clip-on light – all the necessary parts are included in the package. Attach the light globe to the desired stand according to your needs. The globe attaches to the stands with a magnetic suction cup. The light source is rechargeable. USB-A/USB-C charging cable included, power adapter not included. Shines a white light (3000 K). Available in black, white or rose gold.

2,5W 4-IN-1 150LM USB-C WH			
PRODUCT CODE	CODE	KG	PRODUCT FAMILY
9610696		1 kg	



## 2,5W 4-IN-1 150LM USB-C WH

EC002761

Mounting	
Type of luminaire	Desk luminaire
Mounting method	Stand (base)
Suitable for wall mounting	Yes
Fit for workplace acc. EN 12464-1	No
Electrical connection with connector system	No

Structure	
Adjustable	No
Bendable	No
Adjustable height	No
Lamp type	LED not exchangeable
Light source included	Yes
Suitable for number of lamps	1
Lamp holder	Other
Housing material	Steel
Housing colour	White
Cover material	Plastic, opal
With switch	Yes
With socket outlet	No

Dimming and control	
Dimmable	Yes
Dimming Touch and Dim	Yes
No dimming function	No
With dimmer	Yes
Bluetooth operated	No
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
Compatible with Casambi	No
IFTTT support available	No

Photometric data	
Effective luminous flux (lm)	150
Colour temperature (min) (K)	3000
Colour temperature (max) (K)	3000
Colour rendering index (CRI/Ra)	80-89
Colour consistency (McAdam ellipse)	SDCM6
Colour temperature switchable	No
Lumen setting adjustable	Continuously variable

### Lifetime and capacity

Measurements	
Height/depth (mm)	310
Diameter (mm)	90

Electrotechnical data	
Voltage type	DC
Nominal voltage (min) (V)	5
Nominal voltage (max) (V)	5
Protection class according to IEC 61140	III
Suitable for lamp power (min) (W)	2.5
Suitable for lamp power (max) (W)	2.5
Maximum system power (W)	2.5
Luminaire efficacy (lm/W)	60